

# COIL-OVERS | Adjustable Ride Height Suspension Systems

Manufacture / Model	Year	EIBACH COIL-OVER SYSTEM				Alignment Camber Kit	Degrees of Adjustment
		System Type*		APPROX. LOWERING			
				Front	Rear		
<b>ACURA</b>							
Integra, 2 & 4-door (Incl. GS, GS-R, RS, LS) (DC2/4)	94-01	Pro-Street-S	4020.711	0.8-2.0	0.8-2.0		
		Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
Integra, Type-R (DC2)	97-01	Multi-Pro-R1	4020.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4020.713	0.0-2.7	0.0-2.7		
RSX (Incl. Type S) (DC5)	02-06	Pro-Street-S	4054.711	0.8-2.0	0.8-2.0		
TL, 3.2 V6 (Exc. Type S)	04-08	Pro-Street-S	4044.711	1.4-2.6	1.4-2.6		
<b>AUDI</b>							
A3, Sportback, 2.0FSI, 2.0 TFSI, 2.0 TDI, 3.2FSI, 2WD, Quattro (8P)	06-12	Pro-Street-S	8598.711 (cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712 (cb)	0.0-3.0	0.0-3.0		
		Multi-Pro-R2	8598.713 (cb)	0.0-3.0	0.0-3.0		
A4, Sedan, 2WD, 4 Cyl & 6 Cyl (B5)	96-01/99	Pro-Street-S	1531.711	1.6-3.0	1.6-3.0		
A4, Sedan, 2WD, 4 Cyl & 6 Cyl (B6,B7)	02-08	Pro-Street-S	1576.711	1.4-2.6	1.4-2.6		
A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)	96-01/99	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)	02/99-10/00	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B6,B7)	02-08	Pro-Street-S	1578.711	1.4-2.6	1.4-2.4		
A4, Avant (Wagon) Quattro, 4 Cyl & 6 Cyl (B5)	96-01	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
S4, Sedan, Avant (Wagon) (B5S)	00-02	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
TT, Coupe / Roadster, 2WD, 4 Cyl & 6 Cyl (Exc. Magnetic Ride) (8J)	09-12	Pro-Street-S	1596.711	0.8-2.0	0.8-2.0		
TT, Coupe / Roadster, 3.2L V6, Quattro (Exc. Magnetic Ride) (8J)	08-10	Pro-Street-S	1598.711	0.8-2.0	0.8-2.0		
<b>BMW</b>							
116i / 120i / 128i / 135i (E81,E82)	08-12	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0.0-2.0	0.0-1.6		
		Multi-Pro-R2	2085.713	0.0-2.0	0.0-1.6		
318i / 318is / 325i / 328i, 4 Cyl & 6 Cyl (Exc. Convertible & Compact) (E36)	92-99	Pro-Street-S	2021.711	1.5-3.1	1.2-2.3	5.72070K	Front -1.00/+3.00
323i / 325i / 328i / 328Ci / 330i / 330Ci, Sport Wagon (Exc. xi & xiT) (E46)	99-05	Pro-Street-S	2067.711 (bw)	1.2-3.0	1.2-2.5	5.72080K	Front -1.00/+3.00
						5.72180K	Front -1.00/+3.00
328i / 335i Coupe (Exc. xi & Convertible) (E92)	07-11	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0.0-2.0	0.0-1.6		
		Multi-Pro-R2	2085.713	0.0-2.0	0.0-1.6		
325i / 328i / 330i Sedan (Exc. Sport Wagon, xi & xiT) (E90)	06-11	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0.0-2.0	0.0-1.6		
		Multi-Pro-R2	2085.713	0.0-2.0	0.0-1.6		
M3, 2 & 4-door, 6 Cyl (Incl. Convertible) (E36)	95-99	Pro-Street-S	2059.711	1.2-2.4	0.8-1.8	5.72070K	Front -1.00/+3.00
<b>CHEVROLET</b>							
Camaro, LS, LT, 3.6L V6	10-12	Pro-Street-S	38144.711	0.0-2.0	0.0-2.4		
		Multi-Pro-R1	38144.712	0.0-2.0	0.0-2.4		
		Multi-Pro-R2	38144.713	0.0-2.0	0.0-2.4		
Camaro, SS, 6.2L V8	10-12	Pro-Street-S	38144.711	0.0-2.0	0.0-2.4		
		Multi-Pro-R1	38144.712	0.0-2.0	0.0-2.4		
		Multi-Pro-R2	38144.713	0.0-2.0	0.0-2.4		
		Drag Launch R1	9331.712	I/D	I/D		
Camaro Convertible, 6.2L V8 SS	11-12	Pro-Street-S	38144.711	0.0-2.0	0.0-2.4		
		Multi-Pro-R1	38144.712	0.0-2.0	0.0-2.4		
		Multi-Pro-R2	38144.713	0.0-2.0	0.0-2.4		
		Drag Launch R1	9331.712	I/D	I/D		
Corvette, C5	97-04	Multi-Pro-R2	38124.713	0.0-2.0	0.0-2.0		
Corvette, C5 Z51	97-04	Multi-Pro-R2	38133.713	0.0-2.0	0.0-2.0		
Corvette, C5 Z06	01-04	Multi-Pro-R2	38125.713	0.0-2.0	0.0-2.0		
Corvette, C6	05-12	Multi-Pro-R2	38126.713	0.0-2.0	0.0-2.0		
Corvette, C6 Z51	05-11	Multi-Pro-R2	38134.713	0.0-2.0	0.0-2.0		

\* System Type = PRO-STREET: Non-Stainless Steel Strut Housing--Ride Height Adjustable Only  
PRO-STREET-S: Stainless Steel Strut Housing--Ride Height Adjustable Only

MULTI-PRO-R1: Ride Height Adjustable and Damping Adjustable--Single Adjustable Compression and Rebound

MULTI-PRO-R2: Ride Height Adjustable and Damping Adjustable--Double Adjustable Compression and Rebound w/Remote Reservoirs

	Manufacture / Model	Year	EIBACH COIL-OVER SYSTEM					Alignment Camber Kit	Degrees of Adjustment
			System Type*		APPROX. LOWERING				
					Front	Rear			
	Corvette, C6 Grand Sport	10-12	Multi-Pro-R2	38145.713	0.0-2.0	0.0-2.0			
	Corvette, C6 Z06	06-12	Multi-Pro-R2	38127.713	0.0-2.0	0.0-2.0			
	<b>CHRYSLER</b>								
	300 3.5L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)	05-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0			
			Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0			
			Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0			
NEW	300 3.6L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)	11-12	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0			
	300 SRT8, 6.1L HEMI V8, 2WD (Exc. AWD)	05-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0			
			Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0			
			Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0			
NEW	300 SRT8, 6.4L HEMI V8, 2WD (Exc. AWD)	2012	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0			
	Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99	Pro-Street-S	2815.711	1.4-2.6	1.4-2.6			
	Neon, 4-door (Incl. R/T & ACR Models)	00-06	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6			
	Neon SRT-4, 4-door, 2.4L Turbo	03-06	Pro-Street-S	2821.711	1.4-2.6	1.4-2.6			
	PT Cruiser, 4 Cyl (Incl. Turbo, "F" Package & Limited Edition Models)	00-08	Pro-Street-S	2860.711	1.6-2.8	1.2-2.0			
	<b>DODGE</b>								
	Challenger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8	08-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0			
			Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0			
			Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0			
NEW			Drag Launch R1	9332.712	I/D	I/D			
NEW	Challenger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8	11-12	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0			
NEW			Drag Launch R1	9333.712	I/D	I/D			
	Charger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8, 2WD (Incl. Daytona R/T) (Exc. AWD)	06-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0			
			Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0			
			Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0			
NEW			Drag Launch R1	9332.712	I/D	I/D			
NEW	Charger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8 (Exc. AWD)	11-12	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0			
NEW			Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0			
NEW			Drag Launch R1	9333.712	I/D	I/D			
	Magnum, 2WD, V6, R/T V8, SRT-8 V8 (Exc. AWD)	05-08	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0			
			Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0			
			Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0			
NEW			Drag Launch R1	9332.712	I/D	I/D			
	Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99	Pro-Street-S	2815.711	1.4-2.6	1.4-2.6			
	Neon, (Incl. R/T & ACR Models)	00-06	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6			
	Neon SRT-4, 2.4L Turbo	03-06	Pro-Street-S	2821.711	1.4-2.6	1.4-2.6			
	<b>FORD</b>								
	Focus, 3,4 & 5-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)	00-05	Pro-Street-S	3588.711	1.4-2.6	1.4-2.2	5.81320K	Front +/-1.00	
NEW	Focus, 4-Door & 5-Door	2012	Pro-Street-S	35134.711	I/D	I/D			
NEW			Multi-Pro-R1	35134.712	I/D	I/D			
NEW			Multi-Pro-R2	35134.713	I/D	I/D			
	Mustang, All (Exc. IRS) (FOX)	79-93	Pro-Street	3510.710	1.0-2.5	1.0-2.5	5.3510K	Front +/-3.00	
	Mustang, All (Exc. IRS) (SN95)	94-04	Pro-Street	3510.710	1.0-2.5	1.0-2.5	5.3518K	Front +/-3.00	
	Mustang, All (Exc. IRS) (S197)	05-10	Pro-Street-S	35101.711	1.2-2.3	1.4-2.1			
			Multi-Pro-R1	35101.712	0.5-2.4	0.5-2.5			
			Multi-Pro-R2	35101.713	0.5-2.4	0.5-2.5			
			Drag Launch R1	9329.712	0.0-1.8	0.5			

Continued

(bw) It is necessary to inspect for clearance between the tires and the front suspension after installation. A minimum of 5mm or more is recommended between the tire and the suspension. Some vehicles may require the addition of TUV approved wheel spacers to meet this requirement. Use Eibach Springs part no. 5mm = 90.1.05.017.1;

12mm = 90.2.12.002.1; 15mm = 90.2.15.001.1; 20mm = 90.2.20.020.1; 25mm = 90.7.25.011.1; 30mm = 90.7.30.002.1

(cb) Only for vehicles with front damper diameter of 55 mm.

# COIL-OVERS | Adjustable Ride Height Suspension Systems

Manufacture / Model	Year	EIBACH COIL-OVER SYSTEM				Alignment Camber Kit	Degrees of Adjustment
		System Type*		APPROX. LOWERING			
				Front	Rear		
<b>FORD</b>							
NEW Mustang, All	11-12	Pro-Street-S	35125.711	1.0-2.4	1.0-2.4		
NEW Multi-Pro-R1		Multi-Pro-R1	35125.712	1.0-2.4	1.0-2.4		
NEW Multi-Pro-R2		Multi-Pro-R2	35125.713	0.0-2.3	0.0-2.7		
NEW Drag Launch R1		Drag Launch R1	9330.712	I/D	I/D		
Mustang Shelby GT500, Coupe, 5.4L V8 Supercharged (S197)	07-10	Pro-Street-S	35115.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35115.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35115.713	0.5-2.4	0.5-2.5		
Mustang Shelby GT500, Coupe, 5.4L V8 Supercharged	2011	Pro-Street-S	35115.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35115.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35115.713	0.5-2.4	0.5-2.5		
Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged (S197)	07-10	Pro-Street-S	35115.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35115.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35115.713	0.5-2.4	0.5-2.5		
NEW Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged	2011	Pro-Street-S	35128.711	1.0-2.4	1.0-2.4		
NEW Multi-Pro-R1		Multi-Pro-R1	35128.712	1.0-2.4	1.0-2.4		
NEW Multi-Pro-R2		Multi-Pro-R2	35128.713	1.0-2.4	1.0-2.4		
<b>HONDA</b>							
Accord, 2 & 4-door, 4 Cyl & 6 Cyl (Incl. EX, DX & LX)	03-05	Pro-Street-S	4044.711	1.4-2.6	1.4-2.6		
Civic, 2 & 4-door	92-95	Pro-Street-S	4017.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
Civic, 2 & 4-door (Incl. EX, DX, HX, LX, & Hatchback Models)	96-00	Pro-Street-S	4018.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4018.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4018.713	0.0-2.7	0.0-2.7		
Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid)	01-02	Pro-Street-S	4051.711	1.4-2.6	1.4-2.6		
Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid)	03-05	Pro-Street-S	4068.711	1.4-2.6	1.4-2.6		
Civic Si (EM1)	99-00	Pro-Street-S	4018.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4018.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4018.713	0.0-2.7	0.0-2.7		
NEW CR-Z	2011	Pro-Street-S	4085.711	0.5-2.2	0.5-2.2		
NEW Del Sol	93-97	Pro-Street-S	4017.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
S2000 (AP1, AP2)	00-09	Multi-Pro-R2	4043.713	0.0-2.5	0.0-2.5		
<b>HYUNDAI</b>							
Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)	09-10	Pro-Street-S	4244.711	0.0-2.2	0.0-2.2		
NEW Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)	11-12	Pro-Street-S	4248.711	0.0-2.2	0.0-2.2		
Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)	09-10	Pro-Street-S	4244.711	0.0-2.2	0.0-2.2		
NEW Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)	11-12	Pro-Street-S	4248.711	0.0-2.2	0.0-2.2		
<b>INFINITI</b>							
G35, Coupe, 3.5L V6	03-07	Pro-Street-S	6364.711	0.8-1.6	0.8-1.6		
<b>MAZDA</b>							
Miata	90-98	Pro-Street-S	5515.711	1.2-2.4	1.2-2.4		
Miata	99-05	Pro-Street-S	5535.711	1.2-2.4	1.2-2.4		
MX-5 Miata	06-08	Multi-Pro-R1	5536.712	1.2-2.4	1.2-2.4		
RX-8	03-08	Multi-Pro-R1	5544.712	1.0-1.8	1.0-1.8		

\* System Type = PRO-STREET: Non-Stainless Steel Strut Housing--Ride Height Adjustable Only  
PRO-STREET-S: Stainless Steel Strut Housing--Ride Height Adjustable Only

MULTI-PRO-R1: Ride Height Adjustable and Damping Adjustable--Single Adjustable Compression and Rebound

MULTI-PRO-R2: Ride Height Adjustable and Damping Adjustable--Double Adjustable Compression and Rebound w/Remote Reservoirs

Manufacture / Model	Year	EIBACH COIL-OVER SYSTEM					
		System Type*		APPROX. LOWERING		Alignment Camber Kit	Degrees of Adjustment
		Front	Rear	Front	Rear		
<b>MERCURY</b>							
Capri, V8	79-86	Pro-Street	3510.710	1.0-2.5	1.0-2.5		
<b>MINI</b>							
Cooper, 1.6L (Incl. "S" model)	03/02-06	Pro-Street-S	5702.711	0.8-2.0	0.8-2.0	5.67620K	Front +/-2.00
Cooper, 1.6L (Incl. "S" model)	07-12	Multi-Pro-R1	5705.712	1.2-2.2	1.2-2.2	5.67630K	Front +/-2.00
Clubman (Incl. "S" model)	08-12	Multi-Pro-R2	5705.713	1.2-2.2	1.2-2.2	5.67630K	Front +/-2.00
		Multi-Pro-R1	5706.712	1.2-2.2	1.2-2.2		
		Multi-Pro-R2	5706.713	1.2-2.2	1.2-2.2		
<b>MITSUBISHI</b>							
Evolution X, (Incl. GSR, MR)	08-11	Pro-Street-S	6049.711	0.8-2.0	0.8-2.0		
		Multi-Pro-R1	6049.712	0.8-2.0	0.8-2.0		
		Multi-Pro-R2	6049.713	0.8-2.0	0.8-2.0		
<b>NISSAN</b>							
350Z, 3.5L All	03-08	Pro-Street-S	6364.711	0.8-1.6	0.8-1.6		
<b>PLYMOUTH</b>							
Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99	Pro-Street-S	2815.711	1.4-2.6	1.4-2.6		
Neon, 4-door (Incl. R/T & ACR Models)	00-01	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6		
<b>SUBARU</b>							
WRX, 4 Cyl Turbo (Exc. Sti, Wagon)	01-03	Pro-Street-S	7710.711	0.8-2.0	0.8-2.0		
WRX, 4 Cyl Turbo (Exc. Wagon)	04-07	Pro-Street-S	7714.711	1.0-2.2	1.0-1.8		
NEW WRX, 4 Cyl Turbo (Exc. Non-Turbo, STi)	08-10	Pro-Street-S	7717.711	0.0-2.0	0.0-2.6		
		Multi-Pro-R1	7717.712	0.0-2.0	0.0-2.6		
		Multi-Pro-R2	7717.713	0.0-2.0	0.0-2.6		
WRX STi	05-07	Pro-Street-S	7713.711	0.8-2.0	0.4-1.5		
NEW WRX STi, 4 & 5-door	08-11	Pro-Street-S	7718.711	0.0-2.0	0.0-2.6		
		Multi-Pro-R1	7718.712	0.0-2.0	0.0-2.6		
		Multi-Pro-R2	7718.713	0.0-2.0	0.0-2.6		
<b>VOLKSWAGEN</b>							
Beetle, Coupe / Convertible (Incl. 1.8-Turbo, 1.9-TDI & Sport) (1CX)	02/98-08	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Golf IV, 4 Cyl & 6Cyl (Incl. 1.8T-Turbo & 1.9 TDI)	99-06	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Golf IV, R32 3.2L V6 AWD	2004	Pro-Street-S	8597.711	1.2-2.8	1.2-2.8		
Golf VI, 2.5L 5 Cyl. (Exc. R)	10-12	Pro-Street-S	8598.711 (cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712 (cb)	0.0-3.0	0.0-3.0		
		Multi-Pro-R2	8598.713 (cb)	0.0-3.0	0.0-3.0		
GTI V, 2.0 TFSI	06-09	Pro-Street-S	8598.711 (cb)	1.4-2.2	1.4-2.2		
		Multi-Pro-R1	8598.712 (cb)	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	8598.713 (cb)	0.0-2.7	0.0-2.7		
GTI VI, 2.0 TFSI	10-12	Pro-Street-S	8598.711 (cb)	1.4-2.2	1.4-2.2		
		Multi-Pro-R1	8598.712 (cb)	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	8598.713 (cb)	0.0-2.7	0.0-2.7		
Jetta IV, 4 Cyl & 6 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. Wagon) (1MX)	11/98-05	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Jetta V, Sedan, (Incl. 2.0T 4 Cyl. & 2.5L 5 Cyl.)	05-10	Pro-Street-S	8598.711 (cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712 (cb)	0.0-3.0	0.0-3.0		
		Multi-Pro-R2	8598.713 (cb)	0.0-3.0	0.0-3.0		
NEW Jetta V, Sedan TDI	09-10	Multi-Pro-R2	85103.713	0.0-3.0	0.0-3.0		
Rabbit, 5 Cyl (Incl. Coupe & Sedan)	06-09	Pro-Street-S	8598.711 (cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712 (cb)	0.0-3.0	0.0-3.0		
		Multi-Pro-R2	8598.713 (cb)	0.0-3.0	0.0-3.0		

(cb) Only for vehicles with front damper diameter of 55 mm.