

Manufacture / Model	Year	PRO-TRUCK SYSTEM		PRO-TRUCK FRONT ONLY		
		APPROX. Front	LOWERING Rear	Front	APPROX. LOWERING Type	
BMW						
X3	04-10	2079.540	1.2	1.2		
X3, xDrive35i	11-12	20119.540	1.2	1.2		
X5, 3.0 E53 (Exc. Leveling Control)	01-06	2076.540	1.2	1.2		
X5, 3.0 E53 (W/ Air Suspension Rear)	01-06					
X5, 4.4i & 4.6si (W/Air Suspension Rear)	00-05					
X5, 3.0 E70 (Exc. Leveling Control)	07-12	2093.540	1.2	1.0		
X5, xDrive35d, 3.0L 6 Cyl. Turbo Diesel, (Exc. Leveling Control) (E70)	09-12	2093.540	1.2	1.0		
X6, 35i (Incl. Diesel; Exc. Leveling Control, Hybrid) (E71)	08-12	20103.540	0.8	0.8		
CADILLAC						
Escalade, V8 (2WD/4WD)(Incl. EXT)	02-06	3887.530	1-3	3.0	3887.510	1.3 Adj.Torsion Keys
Escalade, V8 6.2L (2WD/4WD)(W/ Autoride)	07-12	38129.540	2.0	2.0	38151.520	2.0 Coil Springs
		38153.540	2.0	3.0		
Escalade ESV, V8 6.2L (4WD)(W/ Autoride)	07-12	38130.540	2.0	2.0	38151.520	2.0 Coil Springs
		38154.540	2.0	3.0		
Escalade EXT, V8 6.2L (4WD)(W/ Autoride)	07-12	38130.540	2.0	2.0	38151.520	2.0 Coil Springs
		38154.540	2.0	3.0		
CHEVROLET						
Avalanche, Z66 & Z71, V8 (2WD/4WD)	02-06	3887.530	1-3	3.0	3887.510	1-3 Adj.Torsion Keys
Avalanche, V8 2WD/4WD (Exc. Autoride)	07-12	38131.540	2.0	2.0	38152.520	2.0 Coil Springs
		38155.540	2.0	3.0		
Avalanche, V8 (w/Autoride)	07-12	38132.540	2.0	2.0	38151.520	2.0 Coil Springs
		38154.540	2.0	3.0		
Astro Van, 6 Cyl (2WD)	85-05				3814.520	2.0 Coil Springs
C-10, V8 (2WD)	62-87				3816.520	2.0 Coil Springs
C-10, V8 (2WD)	73-87	3816.530	2.0	2.0	3816.520	2.0 Coil Springs
C-3500 Crew Cab Dually, (2WD)	92-98	3819.530	1.0	2.0	3819.520	1.0 Coil Springs
C-1500 Std Cab, V8-Exc. 454SS (2WD)	88-98	3812.530	2.0	2.0	3812.520	2.0 Coil Springs
C-1500 Std Cab, V8-454SS (2WD)	90-94	3819.530	1.0	2.0	3819.520	1.0 Coil Springs
C-1500 Std Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.0 Coil Springs
C-1500 Std Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.0 Coil Springs
C-1500 Ext Cab, V8-Exc. 454SS (2WD)	88-98	3819.530	1.0	2.0	3819.520	1.0 Coil Springs
C-1500 Ext Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.5 Coil Springs
C-1500 SS	04-07					
C-1500 Ext Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.5 Coil Springs
Silverado, 1500 Regular Cab, V8, RWD	07-12	38110.530	1.7	2.4	38110.520	1.7 Coil Springs
Silverado, 1500 Extended Cab, V8, RWD	07-12	38110.530	1.7	2.4	38110.520	1.7 Coil Springs
Silverado, 1500 Crew Cab, V8, RWD (Exc. Hybrid & AWD)	07-12	38110.530	1.7	2.4	38110.520	1.7 Coil Springs
Suburban, 1/2 ton, V8 (2WD)	73-91	3816.530	2.5	2.0	3816.520	2.5 Coil Springs
Suburban, 1500, V8 (2WD)	92-99					
Suburban, 1500, V8 (2WD/4WD)	00-06	3887.530	1-3	3.0	3887.510	1-3 Torsion Keys
Suburban, 1/2 ton, V8 (2WD/4WD)(Incl. Autoride)	07-12	38132.540	2.0	2.0	38151.520	2.0 Coil Springs
		38154.540	2.0	3.0		
Suburban, 1/2 ton, V8 (2WD/4WD)(Exc. Autoride)	07-12	38131.540	2.0	2.0	38152.520	2.0 Coil Springs
		38155.540	2.0	3.0		
SSR	03-06	3892.540	1.0	1.3		
Tahoe, V8 (2WD)	95-99	3819.530	1.0	2.0	3819.520	1.0 Coil Springs
Tahoe, V8 (2WD/4WD)	00-06	3887.530	1-3	3.0	3887.510	1-3 Torsion Keys
Tahoe, V8, (2WD/4WD) (Incl. Autoride; Exc. Hybrid)	07-12	38106.540	2.0	2.0	38151.520	2.0 Coil Springs
		38153.540	2.0	3.0		

Continued

(r) Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.

(t) This ANTI-ROLL Bar is tubular.

Manufacture / Model	Year	PRO-TRUCK SYSTEM			PRO-TRUCK FRONT ONLY		
			APPROX. Lowering Front	Lowering Rear		APPROX. Lowering Front	Lowering Type
CHEVROLET							
Tahoe, V8, (2WD/4WD) (Exc. Autoride, Hybrid)	07-12	38107.540 38156.540	2.0 2.0	2.0 3.0	38152.520	2.0	Coil Springs
Trailblazer, (Incl. EXT, 2WD/4WD; Exc. SS)	02-08	3826.540	1.5	2.3			
CHRYSLER							
Aspen, V8, (Incl. 2WD/4WD, Exc. Hybrid)	07-09	2868.520	adj.	3.0			Torsion Bar
Town & Country, 6 Cyl (Exc. Lxi, LWB, AWD & Models)	96-00	2825.130(d)	1.7	1.3			
DODGE							
Caravan, 4 & 6 Cyl (Exc. Grand Caravan, AWD & Models)	96-00	2825.130(d)	1.7	1.3			
Durango, V6 & V8 (Exc. Hybrid)	04-09	2868.520	adj.	3.0			Torsion Bar
Durango, V8	11-12	28107.540	I/D	I/D			
Nitro, 3.7L V6 (Incl. SLT)	07-11	2885.540	1.8	1.6			
FORD							
Edge, 3.5L V6, (FWD/AWD)	07-11	35117.540	1.7	1.3			
Edge, 2.0L EcoBoost/3.5L V6, (FWD/AWD)	2012	35117.540	1.3	1.0			
Edge Sport, 3.7L V6 w/Ti-VCT	2012	35117.540	1.3	1.0			
Expedition, (2WD/4WD)	03-06	3597.540	1.8	1.6			
Explorer, V6 (2WD/4WD)(Exc. Sport & Sport Trac)	01-04						
Explorer, V8 (2WD/4WD)(Exc. Sport & Sport Trac)	01-04						
F150, Lightning, PN96, (2WD)	97-04						
F150, Std. Cab, 6 Cyl, PN96 (2WD)	97-03						
F150, Std. Cab, V8 (2WD)	04-04	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
F150, Std. Cab, V8 (2WD)	05-08	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
F150, Ext. Cab, 6 Cyl, PN96 (2WD)	97-03						
F150, Ext. Cab, V8, PN96 (2WD)	97-03						
F150, Lightning, (2WD)	92-95						
F150, Ext. Cab, V8 (2WD)	04-04	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
F150, Ext. Cab, V8 (2WD)	05-08	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
F150, Crew Cab, V8 (2WD)	04-04	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
F150, Crew. Cab, V8 (2WD)	05-08	35112.530 35112.540 35112.550	2.0 2.0 2.0	1.0 3.0 4.0	35112.520 35112.520 35112.520	2.0 2.0 2.0	Coil Springs Coil Springs Coil Springs
Flex, 3.5L V6 (2WD)	09-12	35121.540	1.0	1.2			
Flex, 3.5L EcoBoost (AWD)	09-12	35121.540	0.8	1.6			
Ranger, Std. Cab, 6 Cyl (2WD/4WD)	98-05				3588.520	2.0	Coil Springs
FORD LIFT KITS							
Ranger, Std. Cab, 6 Cyl (2WD/4WD)(Lift Kit)	90-97				3540.620	+1.5	Coil Springs
GMC							
C-15, V8 (2WD)	62-72				3816.520	2.0	Coil Springs
C-15, V8 (2WD)	73-87	3816.530	2.0	2.0	3816.520	2.0	Coil Springs
C-1500, Std Cab, V8-Exc. 454SS (2WD)	88-98	3812.530	2.0	2.0	3812.520	2.0	Coil Springs
C-1500, Std Cab, V8-454SS (2WD)	90-94	3819.530	1.0	2.0	3819.520	1.0	Coil Springs

Continued

(d) Kit includes front coil springs and rear shackle hanger kit.

(t) This ANTI-ROLL Bar is tubular.

	PRO-TRUCK REAR ONLY		ANTI-ROLL-KIT				Complete Front & Rear Kit	PRO-PLUS PRO-TRUCK+ ANTI-ROLL-KIT	PRO-TRUCK-SHOCK	PRO-ALIGNMENT	
	Rear	APPROX. LOWERING Type	Front Only Diameter	Part#	Rear Only Diameter	Part#				Degrees of Adjustment	
38107.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38107.880	5.86350K	Front +/- 1.00	
38150.520	3.0	Coil Springs						38156.880	5.86375K	Front +/- 1.50	
2868.520	3.0	Coil Springs							5.81260K	Rear +/- 1.75	
2868.520	3.0	Coil Springs							5.81260K	Rear +/- 1.75	
2868.520	3.0	Coil Springs							5.81280K	Front +/- 1.75	
									5.86640K	Front +/- 1.00	
									5.86680K	Rear +/- 1.00	
			35	3595.310	22(t)	3595.312	3595.320		5.86140K	Front +/- 0.75	
									5.86180K	Rear +/- 0.50	
			35	3595.310	22(t)	3595.312	3595.320		5.86140K	Front +/- 0.75	
									5.86180K	Rear +/- 0.50	
3811.820	1.5	Shackle Kit							5.87385K	Front +/- 2.00	
3811.820	1.5	Shackle Kit							5.87385K	Front +/- 2.00	
35112.820	1.0	Shackle Kit			25	35112.312			35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
35112.820	1.0	Shackle Kit	38	35118.310					35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
3811.820	1.5	Shackle Kit							5.87385K	Front +/- 2.00	
									5.87385K	Front +/- 2.00	
3816.820	2.0	Shackle Kit									
35112.820	1.0	Shackle Kit	35			35112.312			35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
35112.820	1.0	Shackle Kit	38	35118.310					35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
35112.820	1.0	Shackle Kit	35			35112.312			35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
35112.820	1.0	Shackle Kit	38	35118.310					35112.840	5.86250K	
35112.020	3.0	Leaf Spring Kit								Front +/- 1.00	
35112.830	4.0	Shackle & Leaf Spring Kit									
3588.920	2.0	Springhanger Kit							5.87500K	Front +/- 2.00	
3816.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.920	2.0	Springhanger Kit									
3811.820	2.0	Shackle Kit									



Work on one corner of the car at a time. Some OE strut assemblies have up to 10 pieces which must be assembled in the exact order in which the factory installed them. Disassemble one corner, and if you make a mistake or lose track of the order of assembly, you can refer to the corresponding assembly as a reference.

Manufacture / Model	Year	PRO-TRUCK SYSTEM			PRO-TRUCK FRONT ONLY		
			APPROX. LOWERING Front	REAR		APPROX. LOWERING Front	Type
GMC							
C-1500, Std Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.0	Coil Springs
C-1500, Std Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.0	Coil Springs
C-1500, Ext Cab, V8-Exc. 454SS (2WD)	88-98	3819.530	1.0	2.0	3819.520	1.0	Coil Springs
C-1500, Ext Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.5	Coil Springs
C-1500, Ext Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.5	Coil Springs
C-3500, Crew Cab Dually (2WD)	92-98	3819.530	1.0	2.0	3819.520	1.0	Coil Springs
Envoy, (2WD/4WD) (Incl. EXT; Exc. Air Suspension)	02-09	3826.540 (u)	1.5	2.0			
Envoy, XL (2WD/4WD) (Exc. Air Suspension)	03-06	3826.540 (u)	1.5	2.3			
Safari Van, 6 Cyl (2WD)	85-04				3814.520	2.0	Coil Springs
Sierra, 1500 Regular Cab, V8 (RWD)	07-12	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Sierra, 1500 Extended Cab, V8 (RWD)	07-12	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Sierra, 1500 Crew Cab, V8, RWD (Exc. Hybrid & RWD)	07-12	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Suburban, 1/2 ton, V8 (2WD)	73-91	3816.530	2.5	2.0	3816.520	2.5	Coil Springs
Suburban, 1500, V8 (2WD)	92-99						
Suburban, 1500, V8 (2WD/4WD)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon, V8 (2WD)	95-99	3819.530	1.0	2.0	3819.520	1.0	Coil Springs
Yukon, V8 (2WD/4WD)(Exc. QuadraSteer)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon Denali, V8 (AWD)(Incl. XL)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon, 6.2L V8 (2WD/4WD)(Exc. Autoride)	07-12	38107.540	2.0	2.0	38152.520	2.0	Coil Springs
		38156.540	2.0	3.0			
Yukon Denali, 6.2L V8 (AWD)(w/ Autoride)	07-12	38129.540	2.0	2.0	38151.520	2.0	Coil Springs
		38153.540	2.0	3.0			
Yukon Denali XL, 6.2L V8 (AWD)(w/ Autoride)	07-12	38130.540	2.0	2.0	38151.520	2.0	Coil Springs
		38154.540	2.0	3.0			
Yukon XL, V8 (2WD/4WD) (Exc. Autoride)	07-12	38131.540	2.0	2.0	38152.520	2.0	Coil Springs
		38155.540	2.0	3.0			
Yukon XL, V8 (2WD/4WD) (w/ Autoride)	07-12	38130.540	2.0	2.0	38151.520	2.0	Coil Springs
		38154.540	2.0	3.0			
HONDA							
CR-V	02-06	4064.540	1.2	1.2			
Element	03-06	4063.540	1.7	1.7			
Element, (FWD/AWD), 2.4L I4	07-11	4075.540	1.5	2.0			
Element SC, (FWD/AWD), 2.4L I4	07-11	4075.540	1.0	1.5			
HYUNDAI							
Tucson, 4 Cyl & 6 Cyl	05-08	4239.540	1.4	1.0			
INFINITI							
FX35, (2WD / AWD)	03-08	6366.540	1.2	1.2			
FX35, (2WD / AWD)	09-12	63101.540	1.0	1.0			
FX45, (2WD / AWD)	03-08	6366.540	1.3	1.3			
FX50, (2WD / AWD)	09-12	63102.540	I/D	I/D			

(r) Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.

(t) This ANTI-ROLL Bar is tubular.

	PRO-TRUCK REAR ONLY		ANTI-ROLL-KIT				Complete Front & Rear Kit	PRO-PLUS PRO-TRUCK+ ANTI-ROLL-KIT	PRO-TRUCK-SHOCK	PRO-ALIGNMENT	Degrees of Adjustment
	Rear	APPROX. LOWERING Type	Front Only Diameter	Front Only Part#	Rear Only Diameter	Rear Only Part#					
3811.820	1.5	Shackle Kit						3881.840	5.86350K	Front +/- 1.00	
3816.820	1.5	Shackle Kit						3881.840	5.86350K	Front +/- 1.00	
3811.820	2.0	Shackle Kit									
3811.820	1.5	Shackle Kit						3881.840	5.86350K	Front +/- 1.00	
3816.820	1.5	Shackle Kit						3881.840	5.86350K	Front +/- 1.00	
3811.820	2.0	Shackle Kit									
3816.820	2.0	Shackle Kit							5.86350K	Front +/- 1.00	
									5.86375K	Front +/- 1.50	
3816.820	2.0	Shackle Kit							5.86350K	Front +/- 1.00	
									5.86375K	Front +/- 1.50	
3816.820	2.0	Shackle Kit							5.86350K	Front +/- 1.00	
									5.86375K	Front +/- 1.50	
3816.820	2.0	Shackle Kit									
3816.820	2.0	Shackle Kit							5.87400K	Front +/- 2.00	
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880	5.86350K	Front +/- 1.00	
3882.520(r)	2.0	Coil Springs									
3811.820	2.0								5.87400K	Front +/- 2.00	
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880			
3882.520(r)	2.0	Coil Springs									
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880	5.86350K	Front +/- 1.00	
3882.520(r)	2.0	Coil Springs									
38107.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38107.880	5.86350K	Front +/- 1.00	
38150.520	3.0	Coil Springs						38156.880	5.86375K	Front +/- 1.50	
38106.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38129.880	5.86350K	Front +/- 1.00	
3887.520	3.0	Coil Springs						38153.880	5.86375K	Front +/- 1.50	
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880	5.86350K	Front +/- 1.00	
38130.520	3.0	Coil Springs						38154.880	5.86375K	Front +/- 1.50	
38132.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38131.880	5.86350K	Front +/- 1.00	
38131.520	3.0	Coil Springs						38155.880	5.86375K	Front +/- 1.50	
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880	5.86350K	Front +/- 1.00	
38130.520	3.0	Coil Springs						38154.880	5.86375K	Front +/- 1.50	
									5.81280K	Front +/- 1.75	
									5.81280K	Front +/- 1.75	
									5.67430K	Rear Arm +6.00/-4.00	
									5.69400K	Rr. Performance Control Arm	
									5.81280K	Front +/- 1.75	
									5.67430K	Rear Arm -4.00/+6.00	
									5.69400K	Rr. Performance Control Arm	
									5.81280K	Front +/- 1.75	
									5.67430K	Rear Arm -4.00/+6.00	
									5.69400K	Rr. Performance Control Arm	
									5.81260K	Front +/-1.75	
									5.81260K	Rear +/-1.75	
									5.81260K	Front +/- 1.00	
									5.81260K	Front +/- 1.00	



Tech Tip
 Properly index your springs. If your suspension does not specify the clocking of the springs, be sure to index the spring, both left and right, in the same direction. This will ensure the car's ride height will be even left to right.

(u) Exclude vehicles with air suspension.

Manufacture / Model	Year	PRO-TRUCK SYSTEM		PRO-TRUCK FRONT ONLY		
		APPROX. Front	LOWERING Rear		Front	APPROX. LOWERING Type
JEEP						
Grand Cherokee, (2WD / 4WD), 6 & 8 Cyl	99-04	2837.540	1.0	1.3		
Grand Cherokee, (2WD / 4WD), 8 Cyl (Exc. SRT-8) (WK)	05-10	2839.540	1.2	1.2		
Grand Cherokee, (2WD / 4WD) (Exc. SRT-8)	11-12	28108.540	I/D	I/D		
Grand Cherokee, SRT-8, 6.1L V8 HEMI	06-10	2892.540	1.0	1.1		
Grand Cherokee, SRT-8	2012	28109.540	I/D	I/D		
Liberty	9/01-07	2869.540	1.2	1.2		
JEEP LIFT KITS						
Wrangler (Incl. X, Sahara, Rubicon)	07-12				2894.620 (bv)	+1.7 Coil Springs
Wrangler Unlimited (Incl. X, Sahara, Rubicon)	07-12				2894.620 (bv)	+1.0 Coil Springs
KIA						
Sportage V6	05-09	4614.540	1.2	1.2		
Sorento, (2WD/4WD)	02-09	4612.540	1.2	1.2		
LEXUS						
RX 330 / 350 / 400h	6/03-08	8282.540	1.2	1.2		
LINCOLN						
MKX, 3.5L V6 (FWD/AWD)	07-11	35117.540	1.7	1.3		
MKX, 3.7L V6 (FWD/AWD)	2012	35117.540	1.3	1.0		
MAZDA						
B Series, Std Cab 6 Cyl (2WD/4WD)	98-00				3588.520	2.0 Coil Springs
MAZDA LIFT KITS						
B Series, Std Cab, 6 Cyl (2WD / 4WD) (Lift Kit)	94-97				3540.620	+1.5 Coil Springs
MERCEDES						
ML320/ML430/ML350/ML500, W163, (Rear Springs Only)	10/97-05	2558.120(k)	adj.	1.4		
ML350/ML500, W164	06-11	2573.540	1.4	1.4		
NISSAN						
Juke, 1.6L 4 Cyl. Turbo (Exc. AWD) (F15)	11-12	63104.540	1.2	1.2		
PLYMOUTH						
Voyager, 4 Cyl & 6 Cyl (Exc. Grand Voyager, AWD & S/Lev)	96-00	2825.130(d)	1.7	1.3		
PORSCHE						
Cayenne, (W/O Height adjustable Susp.)	03-06	7216.540	1.4	1.4		
VOLKSWAGEN						
Touareg, 3.2L, V6 & V8	10/02-08	8596.540	1.2	1.2		
Tiguan, 4 Cyl. (Incl. 4-Motion) (5N)	09-11	85107.540	1.2	1.2		

(a) This ANTI-ROLL Bar is adjustable.

(bv) Recommend use with longer shocks.

PRO-TRUCK REAR ONLY			ANTI-ROLL-KIT				PRO-PLUS	PRO-TRUCK-	PRO-ALIGNMENT
Rear	APPROX. LOWERING Type	Front Only		Rear Only		Complete Front & Rear Kit	PRO-TRUCK+ ANTI-ROLL-KIT	SHOCK	Degrees of Adjustment
		Diameter	Part#	Diameter	Part#				
		34(a)	2837.310	18(a)	2837.312	2837.320	2837.880		5.23410K Front +/- 1.5
									5.81260K Front +/- 1.75 5.81260K Rear +/- 1.75
									5.81290K Front +/- 1.75 5.81270K Rear +/- 1.75
									5.81280K Front +/- 1.75
3588.920	2.0	Springhanger kit							5.87310K Front +/- 1.75
									5.81260K Front +/- 1.75
									5.81260K Rear +/- 1.75



Measure your vehicle's ride height before installing Eibach Springs. This will ensure you know the amount of lowering after installation. On a level surface, measure from the upper wheel rim to the highest point of the fender well, before installation and after. And before you measure the "after" dimension, drive the car hard for ten miles to let the suspension bushings, etc. settle properly.

(d) Kit includes front coil springs and rear shackle hanger kit.

(k) Rear springs only, front torsion bar is adjustable.